



DUAL CS 329

FULLY AUTOMATIC PLUG & PLAY-TURNTABLE





DUAL CS 329

FULLY AUTOMATIC PLUG & PLAY-TURNTABLE

The uncomplicated one from Dual with aspirations. The CS 329 uses sophisticated technology for entry-level analogue music playback.

With Plug & Play, you get a complete, ready-to-use package; all components are pre-assembled and permanently set. Plug in and get started!

As a fully automatic machine, the CS 329 offers ideal convenience. The tonearm swivels, lowers and raises autonomously at the touch of a button. All you have to do is put on the record and press the start button.



▲▲ Fully automatic functions of the tonearm and motor control

▲ Fixed settings out of the factory

DETAILS:



Plinth: MDF - Plastic

- Elastomer vibration absorber integrated inside the feet
- Removable dust cover



Platter: Aluminium Die-cast

- Precise aluminium die-cast
- Heavy rubber mat for resonance damping



Tonearm: Straight, Plug and Play

- Plug & Play: all adjustments are factory fixed
- All functions can be fully automatic or manual



Drive: DC - Motor / Belt

- Rubber mountings for vibration decoupling
- Precision cut belt for lower wow & flutter



TECHNICAL DATA - DUAL CS 329

Drive:

Drive:	Belt
Speed settings:	33 / 45
Wow & Flutter:	< ±0,12 % (JIS WTD)

Platter:

Material:	Aluminium die-cast
Mat:	Rubber 2,5 mm
Bearing:	Hardened steel spindle Brass bushing (inverted)
Diameter:	297 mm
Weight (incl. Mat):	667 g

Tonearm:

Auto-Start/-Stop-Function:	Automatic
Bearing:	Ball-bearing
Effective length:	221,5 mm
Offset Angle:	25,6°
Overhang:	19 mm
Type:	statically balanced
Stylus Pressure Range:	Fixed
Cartridge Weight Range:	N / A
Factory installed pick up:	Audio-Technica AT 91

Gehäuse:

Material:	Plastic / MDF
Surface finish:	Black
Feet:	Ø 62 mm / Elastomer
Connection:	RCA cable (fixed)
Connection to Phono Input:	Yes
Connection to Line Input:	Yes
Digital Output:	X
Dimension, closed dustcover:	435 x 372 x 132 mm
Dimension, open dustcover:	T: 405 mm / H: 490 mm
Weight:	5 kg



WWW.DUAL.DE



Dual